



Journal of Drug Delivery and Biotherapeutics (JDDDB)

(E-ISSN: 3049-1177)

Journal homepage: <https://sennosbiotech.com/JDDDB/1>

Advancements in Herbal Drug Lipidic Nanoparticles: Formulation, Applications, and Therapeutic Potential

Dr. Aarti Shastri*

Department of Pharmaceutical Sciences, Dr. Vishwanath Karad MIT World Peace University, Pune

ARTICLE INFO

ABSTRACT

Herbal drug lipidic nanoparticles (HDLNs) have emerged as an effective strategy for enhancing the bioavailability, stability, and therapeutic efficacy of herbal medicines. This review highlights the recent advancements in the formulation, applications, and therapeutic potential of HDLNs, focusing on various types of lipidic nanoparticles, such as liposomes, solid lipid nanoparticles, and nanoemulsions. The article discusses the techniques employed for the preparation of HDLNs, their advantages in drug delivery, and their role in targeted therapy for various diseases. Moreover, it covers the therapeutic benefits of HDLNs in enhancing the pharmacokinetics and overcoming challenges such as poor solubility and bioavailability of herbal compounds. The review also presents an outlook on the future directions of HDLNs, emphasizing their potential for personalized medicine and combination therapies.

Keywords: Herbal drug lipidic nanoparticles, Liposomal formulations, Nanoemulsions, Drug delivery systems, Targeted therapy

Corresponding Author:**Dr. Aarti Shastri***

Department of Pharmaceutical Sciences, Dr. Vishwanath Karad MIT World Peace University, Pune

E-mail addresses: aarti.shastri@mitwpu.edu.in

Received date: 20-Mar-2025 Revised date: 11-Apr-2025, Accepted date: 21-Apr-2025

1. Introduction

Nanomedicine, particularly the development of lipidic nanoparticles, has become a pivotal area of research for enhancing drug delivery systems. Lipidic nanoparticles, such as liposomes, solid lipid nanoparticles (SLNs), and nanoemulsions, have been increasingly utilized to overcome the challenges associated with traditional drug formulations. Herbal medicines, known for their therapeutic properties, have been used for centuries in various cultures. Despite their proven efficacy, the clinical application of herbal drugs faces limitations, including poor solubility, low bioavailability, and susceptibility to degradation in the gastrointestinal tract [1]. These challenges often hinder the full potential of herbal drugs, preventing their widespread use in modern therapeutics.

To address these issues, the integration of herbal drugs with lipidic nanoparticles has garnered significant attention in recent years. Herbal drug lipidic nanoparticles (HDLNs) offer an advanced strategy for improving the bioavailability, stability, and targeted delivery of herbal compounds. These lipidic nanocarriers are highly versatile and can encapsulate both hydrophobic and hydrophilic herbal extracts, ensuring enhanced therapeutic efficacy [2]. HDLNs provide a promising solution to the problem of low solubility, as they improve the dissolution rate of poorly water-soluble drugs by reducing particle size to the nanometer scale, which increases surface area and facilitates better absorption [3]. Additionally, HDLNs protect sensitive herbal compounds from oxidative degradation and enzymatic breakdown, preserving their bioactivity for prolonged periods [4].

Liposomes, one of the most studied types of HDLNs, are lipid bilayer structures that can

encapsulate both hydrophilic and lipophilic herbal molecules. These nanoparticles offer significant advantages, such as biocompatibility, non-toxicity, and the ability to enhance the solubility and stability of herbal compounds. Moreover, liposomes can be modified with surface ligands for targeted drug delivery, allowing for more precise treatment of diseases such as cancer, inflammation, and microbial infections [5]. Similarly, solid lipid nanoparticles (SLNs) are widely investigated for their ability to deliver lipophilic drugs with improved stability compared to conventional lipid carriers [6]. SLNs can control drug release over an extended period, making them ideal candidates for sustained therapeutic effects [7].

Nanoemulsions, another form of HDLNs, offer high surface area and stability, making them suitable for encapsulating both lipophilic and hydrophilic herbal active ingredients. These systems are particularly effective for improving the bioavailability of herbal drugs with low water solubility, as they enhance intestinal absorption through their small particle size and high solubilization capacity [8]. Furthermore, the versatility of HDLNs allows for the inclusion of multiple herbal compounds in a single formulation, enabling synergistic effects that can improve therapeutic outcomes [9].

The application of HDLNs extends beyond their formulation and therapeutic potential; they also hold promise in overcoming common challenges in herbal drug delivery, such as first-pass metabolism and non-specific distribution. By incorporating targeting moieties, HDLNs can direct herbal compounds to specific tissues or organs, increasing their therapeutic effects while minimizing side effects [10]. For instance, targeting HDLNs to cancer cells via surface modification with folate or

antibody conjugates has shown promising results in enhancing the accumulation of herbal drugs at tumor sites, thereby reducing toxicity to healthy tissues [11].

The future of HDLNs lies in their potential for personalized medicine. With advancements in nanotechnology, it is possible to tailor HDLN formulations based on individual patient profiles, optimizing drug delivery and enhancing therapeutic outcomes. Furthermore, the combination of HDLNs with other drug delivery strategies, such as stimuli-responsive systems, may offer new avenues for precision treatment, allowing for controlled release of herbal drugs in response to environmental triggers, such as pH or temperature variations [12].

In conclusion, herbal drug lipidic nanoparticles represent a significant advancement in the field of drug delivery systems, offering solutions to the limitations of traditional herbal medicine formulations. Their ability to enhance bioavailability, improve stability, and enable targeted drug delivery makes them a promising tool for advancing herbal therapeutics. This review will provide an overview of the various types of HDLNs, their formulation strategies, applications, and therapeutic potential in modern medicine.

2. Formulation of Herbal Drug Lipidic Nanoparticles (HDLNs)

The formulation of HDLNs involves the selection of appropriate lipid materials, surfactants, and stabilizers to achieve optimal drug encapsulation, release, and stability. The main types of HDLNs include liposomes, solid lipid nanoparticles (SLNs),

and nanoemulsions, each offering distinct advantages in terms of encapsulation efficiency, drug release profile, and stability. Several methods are employed for the preparation of these nanoparticles, with solvent evaporation, high-pressure homogenization, and coacervation being among the most commonly used techniques. The choice of formulation technique depends on the properties of the herbal drug, such as its solubility, molecular weight, and stability [11][12].

Liposomes: Liposomes are spherical vesicles composed of phospholipids and cholesterol, capable of encapsulating both hydrophilic and lipophilic herbal drugs. Liposomes are widely used for their biocompatibility and ease of surface modification, which allows for targeted delivery of herbal compounds [13].

Solid Lipid Nanoparticles (SLNs): SLNs consist of solid lipid cores that encapsulate lipophilic herbal drugs. They are particularly useful for controlled and sustained release of herbal compounds, providing advantages in terms of prolonged therapeutic effects [14].

Nanoemulsions: These are thermodynamically stable dispersions of oil and water stabilized by surfactants. Nanoemulsions are ideal for enhancing the solubility and bioavailability of hydrophobic herbal drugs [15].

The formulation process must also consider factors such as particle size, surface charge, and the ability to retain drug efficacy over time. Optimization of these parameters is crucial for the successful application of HDLNs in therapeutic settings [16].

Table 1: Overview of Types of Herbal Drug Lipidic Nanoparticles (HDLNs)

Type of HDLNs	Composition	Encapsulation Efficiency	Application	Advantages
Liposomes	Phospholipids, cholesterol	High for both hydrophilic & lipophilic drugs	Targeted drug delivery, cancer therapy, wound healing	Biocompatible, easy to surface-modify for targeting
Solid Lipid Nanoparticles (SLNs)	Solid lipid core, surfactants	Moderate to high for lipophilic drugs	Controlled release, sustained release	Good stability, biocompatibility, sustained release properties
Nanoemulsions	Oil phase, aqueous phase, surfactants	High for lipophilic herbal drugs	Oral delivery, enhanced bioavailability	Improved solubility, high surface area for absorption

3. Applications of Herbal Drug Lipidic Nanoparticles (HDLNs)

Herbal drug lipidic nanoparticles (HDLNs) are gaining traction in modern medicine due to their potential to improve the therapeutic efficacy of herbal compounds. The applications of HDLNs span across various therapeutic areas, including cancer treatment, wound healing, and the management of chronic diseases such as diabetes and cardiovascular disorders. The ability to encapsulate bioactive herbal compounds in HDLNs offers numerous advantages, such as improved solubility, enhanced bioavailability, and targeted drug delivery.

Cancer Therapy: Cancer remains one of the leading causes of mortality worldwide, and treatment often involves the use of chemotherapy, which has significant side effects. HDLNs have emerged as a promising strategy to deliver anticancer herbal drugs with reduced systemic toxicity. By encapsulating

hydrophobic compounds, such as curcumin or epigallocatechin gallate (EGCG), HDLNs enhance their solubility and stability, increasing their effectiveness against cancer cells. Furthermore, surface modification of HDLNs with targeting ligands, such as antibodies or folic acid, allows for the selective accumulation of herbal drugs at tumor sites, sparing healthy tissues from the toxic effects of chemotherapy [17][18].

Wound Healing: Herbal drugs, such as Aloe vera and Centella Asiatica, are well-known for their wound healing properties. However, their application in conventional formulations is limited due to poor bioavailability and stability. HDLNs offer a solution by improving the delivery of these compounds to the wound site, where they can exert their therapeutic effects. Lipidic nanoparticles facilitate the sustained release of herbal drugs, promoting faster healing and reducing the risk of infection [19][20].

Diabetes Management: Diabetes, particularly Type 2 diabetes, is a global health concern. Many herbal drugs, including *Gymnema Sylvestre* and Bitter Melon, have shown potential in regulating blood sugar levels. However, the poor absorption of these herbal compounds often limits their clinical effectiveness. HDLNs enhance the bioavailability of these drugs, ensuring that higher concentrations reach the bloodstream and exert their hypoglycemic effects. Additionally, controlled release formulations of HDLNs help maintain stable blood glucose levels over extended periods, improving patient compliance and outcomes [21][22].

Cardiovascular Diseases: Cardiovascular diseases, including hypertension and atherosclerosis, are major contributors to global morbidity and mortality. Several herbal compounds, such as Hawthorn and Garlic, have been shown to have beneficial effects on heart health. However, their low bioavailability and instability hinder their widespread use. HDLNs can encapsulate these herbal compounds, enhancing their solubility and bioavailability, and enabling more efficient targeting of the cardiovascular system [23][24].

Overall, the applications of HDLNs are vast and varied, ranging from cancer therapy to chronic disease management. By enhancing the solubility, stability, and bioavailability of herbal drugs, HDLNs hold great promise for advancing the field of herbal medicine and improving patient outcomes.

4. Therapeutic Potential and Future Directions

The therapeutic potential of HDLNs lies in their ability to enhance the bioavailability, stability, and targeted delivery of bioactive herbal compounds. This makes them highly valuable for addressing the challenges faced by traditional herbal formulations. HDLNs offer an improved pharmacokinetic profile

for herbal drugs, which are often limited by poor solubility and rapid metabolism. The incorporation of herbal drugs into lipidic nanoparticles ensures better therapeutic outcomes by enhancing drug absorption and providing controlled, sustained release profiles.

Enhanced Bioavailability: One of the major challenges in the use of herbal drugs is their poor bioavailability, especially for hydrophobic compounds. HDLNs overcome this limitation by encapsulating herbal compounds in lipid matrices, improving their solubility in biological fluids. For instance, curcumin, a well-known herbal compound, has poor bioavailability due to its low water solubility. However, when encapsulated in HDLNs, curcumin's bioavailability significantly improves, allowing for better absorption in the gastrointestinal tract and more effective therapeutic action [25][26].

Targeted Drug Delivery: Another key advantage of HDLNs is their ability to deliver herbal drugs to specific target sites. Surface modification of lipidic nanoparticles with ligands, such as antibodies or peptides, can enable targeted delivery to cells or tissues that overexpress certain receptors, such as cancer cells or inflammatory cells. This targeted approach minimizes off-target effects and reduces toxicity, ensuring that herbal drugs exert their therapeutic effects only where needed. This is particularly beneficial in the treatment of diseases like cancer, where the selective targeting of tumor cells can enhance the efficacy of the drug while minimizing side effects [27][28].

Controlled and Sustained Release: HDLNs are also ideal candidates for controlled and sustained release formulations. By adjusting the lipid composition and preparation methods, researchers can engineer HDLNs to release the herbal drug over extended

periods. This feature is particularly useful in the management of chronic diseases, such as diabetes and cardiovascular diseases, where prolonged drug action is essential for maintaining therapeutic efficacy. Controlled release formulations also improve patient compliance by reducing the frequency of administration [29][30].

Nanotechnology and Precision Medicine: The future of HDLNs lies in their integration with precision medicine, where the therapy is tailored to the individual's specific genetic makeup and disease characteristics. Advances in nanotechnology are opening new avenues for the development of more sophisticated and efficient HDLNs. The combination of lipidic nanoparticles with other nanomaterials, such as polymers, or the incorporation of stimuli-responsive systems, holds great promise in providing dynamic control over drug release and targeting. These innovations will pave the way for more effective and personalized treatments for various diseases [31][32].

Challenges and Future Outlook: Despite the promising therapeutic potential, several challenges remain in the widespread application of HDLNs. These include issues related to large-scale production, stability of the formulations, and the potential for immune system interactions. However, ongoing research and development in nanotechnology, along with regulatory advancements, are expected to overcome these challenges. In the coming years, we can expect to see the clinical translation of HDLNs for a wide range of diseases, including cancer, neurological disorders, and metabolic diseases, further enhancing the therapeutic potential of herbal drugs.

CONCLUSION

Herbal drug lipidic nanoparticles (HDLNs) represent a significant advancement in the field of drug delivery, offering numerous benefits over traditional herbal formulations. The incorporation of bioactive herbal compounds into lipidic nanoparticles enhances their bioavailability, stability, and therapeutic efficacy, making them valuable tools in modern medicine. HDLNs can overcome the limitations associated with the poor solubility, rapid metabolism, and low bioavailability of many herbal drugs, thereby improving their therapeutic outcomes. The potential applications of HDLNs in various therapeutic areas, such as cancer treatment, wound healing, diabetes management, and cardiovascular diseases, highlight their versatility and promise.

Furthermore, HDLNs offer unique advantages in targeted drug delivery, ensuring that herbal compounds are directed to specific tissues or cells, thereby reducing systemic toxicity and enhancing therapeutic effects. The ability to engineer these nanoparticles for controlled and sustained release further increases their therapeutic potential, especially for the management of chronic diseases.

While HDLNs hold tremendous promise, challenges related to large-scale production, formulation stability, and immunogenicity remain. Nevertheless, ongoing advancements in nanotechnology, along with the growing understanding of the interactions between HDLNs and biological systems, are likely to address these hurdles. As research continues, the clinical translation of HDLNs for various diseases, particularly in the context of precision medicine, will significantly impact the future of herbal drug delivery.

In conclusion, HDLNs offer a transformative approach to improving the delivery and efficacy of

herbal drugs. Their potential to revolutionize the treatment of various diseases, combined with the continuous advancements in nanotechnology, sets the stage for a new era in herbal therapeutics.

Declaration Of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Funding

Not Applicable

Authorship Contribution Statement

Aarti Shastri: Supervision, Validation, Methodology, Data Curation, Investigation, Writing – original draft, Conceptualization, Administration, Funding.

Abbreviations

HDLNs – Herbal Drug Lipidic Nanoparticles, SLNs – Solid Lipid Nanoparticles, EGCG – Epigallocatechin Gallate, RP-HPLC – Reverse-Phase High-Performance Liquid Chromatography, UPLC – Ultra-Performance Liquid Chromatography, LC-MS – Liquid Chromatography-Mass Spectrometry, TPP – Tripolyphosphate, GIT – Gastrointestinal Tract, FDA – Food and Drug Administration

References

1. Sharma P, et al. Targeted drug delivery for cancer therapy: Role of lipid-based nanoparticles. *Cancer Nanomedicine* 2020; 11(3): 435-450.
2. Zhang H, et al. Development of folate-conjugated liposomes for targeted delivery of herbal anticancer drugs. *Pharm Nanotechnol* 2019; 8(4): 159-172.
3. Singh A, et al. Nano-based drug delivery systems for enhanced wound healing: Potential applications of herbal nanomedicines. *Wound Repair Regen* 2020; 28(5): 617-627.
4. Yang S, et al. Nanoemulsion-based delivery of Aloe vera and Centella Asiatica for wound healing. *Nanomedicine* 2021; 16(6): 1083-1099.
5. Kumar S, et al. Herbal nanomedicines for the management of diabetes: Current trends and future prospects. *Nanomedicine* 2021; 17(8): 1039-1053.
6. Dahiya S, et al. Nanoformulations of Gymnema Sylvestre and Bitter Melon for improved diabetes management. *Diabetes Ther* 2020; 11(4): 709-724.
7. Wang J, et al. Lipid nanoparticles for the targeted delivery of cardiovascular drugs. *J Cardiovasc Pharmacol* 2021; 77(2): 140-156.
8. Zhang M, et al. Garlic and Hawthorn in the treatment of cardiovascular diseases: Formulation strategies using lipid-based nanocarriers. *Nanomedicine* 2020; 15(7): 567-580.
9. Gupta S, et al. Nanoformulations of curcumin: An overview of their bioavailability and therapeutic efficacy. *Pharm Res* 2021; 38(9): 1535-1545.
10. Sahu R, et al. Curcumin-loaded lipidic nanoparticles for enhanced bioavailability: Current trends and future prospects. *J Drug Deliv Sci Technol* 2020; 60: 101954.
11. Kaur G, et al. Lipid nanoparticles for targeted drug delivery in cancer therapy.

- Cancer Nanotechnology 2020; 9(6): 1232-1245.
12. Wang Y, et al. Targeted delivery of herbal compounds using lipidic nanoparticles for cancer therapy. *Nanomedicine* 2021; 16(4): 421-435.
 13. Zhang X, et al. Controlled release of herbal drugs using lipid nanoparticles: Design and therapeutic applications. *Nanomedicine* 2021; 16(8): 789-805.
 14. Li Y, et al. Long-term sustained release of herbal compounds from lipid nanoparticles: Implications for chronic disease management. *J Controlled Release* 2020; 326: 62-74.
 15. Patel M, et al. Future perspectives of HDLNs in precision medicine and nanomedicine. *Front Pharmacol* 2021; 12: 688013.
 16. Shahid M, et al. Recent advancements in nanomedicine: Role of HDLNs in precision drug delivery. *Nanomedicine* 2021; 16(7): 1391-1405.
 17. Zhang H, et al. Development of lipid nanoparticles for the delivery of bioactive herbal compounds: A comprehensive review. *Nanomedicine* 2020; 15(4): 755-768.
 18. Tiwari P, et al. Herbal nanoformulations for cancer therapy: A review. *Phytochem Lett* 2020; 35: 140-154.
 19. Sharma R, et al. Lipid nanoparticles as carriers for the delivery of anti-inflammatory herbal drugs. *Inflammation* 2021; 44(3): 876-891.
 20. Kumar V, et al. Nano-based systems for the encapsulation of antioxidants from herbal sources: A review. *Antioxidants* 2020; 9(6): 525-539.
 21. Iqbal M, et al. Nanocarriers for the delivery of herbal drugs: Role of lipid nanoparticles. *J Drug Deliv Sci Technol* 2021; 63: 102343.
 22. Parveen S, et al. Nanotechnology in herbal medicine: Lipid nanoparticles as drug delivery systems. *Nanomedicine* 2021; 16(5): 245-260.
 23. Kumar R, et al. Encapsulation of herbal bioactive compounds in lipid nanoparticles: A novel approach to improving their bioavailability and stability. *J Herb Med* 2021; 26: 100432.
 24. Kaur J, et al. Formulation and characterization of lipid-based nanoparticles for herbal drug delivery. *Pharmaceutics* 2020; 12(2): 114.